



**<300mm POT SIZE PLANT - PLANTING DETAIL**  
NOT TO SCALE

**NOTES:**

1. CULTIVATE EXISTING SUB-GRADE TO MIN. 150mm DEPTH. REMOVE STONES EXCEEDING Ø 50mm AND ANY ORGANIC MATTER EXCEEDING Ø 25mm INCLUDING ROOTS, STICKS AND WEEDS BROUGHT TO THE SURFACE DURING CULTIVATION. REMOVE ANY MATERIAL DETRIMENTAL TO PLANT GROWTH.
2. AMELIORATE EXISTING SITE SOIL AS SPECIFIED OR IMPORT APPROVED TOPSOIL/GARDEN SOIL. ALL IMPORTED SOIL IS TO COMPLY WITH AS4419, 'SOILS FOR LANDSCAPING & GARDEN USE. TEST CERTIFICATE FOR THE IMPORTED SOIL IS TO BE PROVIDED TO LANDSCAPE SUPERINTENDENT OR MRC REPRESENTATIVE PRIOR TO BRINGING ON SITE.
3. EXCAVATE THE PLANTING HOLES FOR TREES TO A MINIMUM OF TWICE THE WIDTH (2x) AND ONE AND A HALF TIME (1 1/2 x) THE DEPTH OF THE ROOTBALL.
4. COMPACT SOIL MIX LIGHTLY IN LAYERS OF 150mm, ENSURING THAT NO AIR POCKETS REMAIN IN THE SOIL. RAKE OVER LIGHTLY TO ACHIEVE SMOOTH SOIL PROFILES, AND ENSURE THAT ANY MOUNDING HAS A SMOOTH AND EVEN PROFILE.
5. USE FOREST MULCH OR APPROVED EQUIVALENT IN A 100mm LAYER. MULCH IS TO COMPLY WITH AS4454: 'COMPOSTS, SOIL CONDITIONERS AND MULCHES AND BE FREE FROM SOIL, WEEDS AND ANY OTHER MATERIAL TOXIC TO PLANT GROWTH. SPREAD EVENLY AND RAKE SMOOTH. FINISH MULCH 25mm BELOW FINISHED SURFACE LEVEL OF SURROUNDING HARD OR SOFT EDGE. TEST CERTIFICATE FOR THE IMPORTED MULCH IS TO BE PROVIDED TO LANDSCAPE SUPERINTENDENT OR MRC REPRESENTATIVE PRIOR TO BRINGING ON SITE.

K:\Technical Services\Design\Project\Standard drawings\STANDARD UPDATES - PARKS\STANDARD DRAWINGS\A4-00150.dwg

B	09/2020	REDRAWN TO NEW MRC STANDARDS	
NO.	DATE	DESCRIPTION	APPVD

**AMENDMENTS AND REVISIONS**

STANDARD DRAWINGS\IPARKS\A4-00049

DRAWN	SIGNED	DATE	ASSET OWNER
DESIGNED	SIGNED	DATE	Jason Cocker Digitally signed by Jason Cocker Date: 2021.03.03 16:32:52 +10'00'
CHECKED	SIGNED	DATE	JASON COCKER DATE
MANAGER / CO-ORDINATOR			CERTIFIED
	DATE		DATE



WORKS JOB No.	DRAWING No.	AMEND.
	A4-00150	1
<b>STANDARD PLANTING DETAIL ≤ 300mm POT SIZE</b>		