


CONCRETE GARDEN EDGING
SCALE 1:5

NOTES:

1. ALL DIMENSIONS SHOWN ARE IN MILLIMETERS, UNLESS NOTED OTHERWISE.
2. CONCRETE STRENGTH: MIN. N32/10.
3. GARDEN BED EDGING IS TO BE FLUSH WITH ABUTTING GROUND SURFACES, UNLESS NOTED OTHERWISE.
4. ALL GARDEN EDGING IS TO BE REINFORCED. NO FIBER REINFORCEMENT CAN BE UTILISED. REINFORCING BARS TO AS1302
5. NO EXTRUDED CONCRETE ('KWIK KERB') EDGING WITH OR WITHOUT FIBER REINFORCING IS TO BE USED.

FILE NAME \STANDARD DRAWINGGA4-00420

NO.	DATE	DESCRIPTION	APPVD
c	14/1/21	AMENDMENT TO DWG NOTES	Jason Cocker



AMENDMENTS AND REVISIONS

DRAWN	SIGNED	DATE
DAS	DAS	24.03.14
DESIGNED	SIGNED	DATE
GJT	GJT	29.03.14
CHECKED	SIGNED	DATE
MANAGER PARKS		
ORIGINAL SIGNED BY P. CLUFF	DATE	
P. CLUFF	DATE	

DIRECTOR
ENGINEERING AND
COMMERCIAL INFRASTRUCTURE

ORIGINAL SIGNED BY J. DEVITT
JASON DEVITT

DATE 31.03.14



WORKS JOB No.	DRAWING No.	AMEND.
	A4-00420	C
STANDARD TYPICAL CONCRETE GARDEN EDGING		