


PLAYGROUND SOFTFALL TREATMENT - ARTIFICIAL TURF
SCALE 1:25

NOTES:

1. IMPACT ATTENUATION SURFACE IS REQUIRED WITHIN A DEDICATED FALL ZONE AREA. IMPACT ATTENUATION SURFACE TO BE INSTALLED TO MANUFACTURE'S WRITTEN INSTRUCTIONS AND COMPLY WITH AS4422. SURFACE THICKNESS OF UNITARY SOFTFALL (TRAFFICABLE SOFTFALL) TO EXCEED EQUIPMENT'S SPECIFIED CRITICAL FALL HEIGHT REQUIREMENT BY 30% TO ALLOW FOR COMPACTION OF SURFACE OVER DURATION OF ASSETS LIFE.
2. STABILIZED CRUSHER DUST OR ROADBASE TO BE INSTALLED TO MANUFACTURER'S WRITTEN INSTRUCTIONS. MATERIAL TO BE SPECIFIED BY PE&S.
3. ALL DIMENSIONS IN MILLIMETERS UNLESS NOTED OTHERWISE.

C:\Users\edhobe\OneDrive - MRC\Desktop\EB\MISC-projects\Paris\park std-playground softfall treatment\A3-09729B.dwg

		SURVEYED BY		DRAWN	SIGNED	DATE	ASSET OWNER		STANDARD PLAYGROUND SOFTFALL TREATMENT ARTIFICIAL TURF		SHEET 1 OF 1	
		SURVEY FILE No.		DESIGNED	SIGNED	DATE	ORIGINAL SIGNED BY J. COCKER 03.03.2021 JASON COCKER DATE		WORKS JOB No.		AMEND.	
B	08.2023	ADDED PERFORATED DRAINAGE		CHECKED	SIGNED	DATE	CERTIFIED	DRAWING No.		AMEND.		
A	09.2020	ORIGINAL ISSUE		MANAGER / CO-ORDINATOR				A3-09729		B		
NO.	DATE	DESCRIPTION		MERIDIAN / DATE								
		APPVD		MGA 55								
		AMENDMENTS AND REVISIONS		DATE								