


BREAK INTO MAIN PIPELINE BY DRILLING OUT REQUIRED HOLE NOT LOWER THAN THE SPRINGING POINT. CUT REINFORCING AND BEND OUT INTO JOINT. PROVIDE A SMOOTH WATERPROOF JOINT BOTH INSIDE AND OUTSIDE.

REINFORCING



SPIGOT TO BE CUT TO MAIN PIPE PROFILE AND IS NOT TO PROJECT INTO MAIN PIPELINE.

## SIDE ENTRY DETAIL

### MAXIMUM PIPE DIA. FOR SIDE CONNECTIONS

| MAXIMUM PROPERTY PIPE DIA. | MAIN DRAINAGE PIPE DIA. |
|----------------------------|-------------------------|
| 90                         | 225                     |
| 100                        | 300                     |
| 100                        | 375                     |
| 150                        | 450                     |
| 225                        | 525                     |
| 225                        | 600                     |

### NOTES:

1. WHEN PROPERTY DRAINS ARE GREATER THAN 225 DIA AND ENTERING A MAIN DRAIN WHICH IS IN EXCESS OF 600MM DIA, A SITE INSPECTION IS REQUIRED TO CONFIRM PROPERTY DRAIN SIZE AND CONSTRUCTION METHOD.
2. ALL PROPERTY DRAINAGE PIPES ARE TO BE CONNECTED TO GULLY PITS IF AVAILABLE.

FILE NAME \STANDARD DRAWINGS\A4-00043

| C                        | 31/12/18 | REVISED FORMAT AND TITLEBLOCK | GH    |
|--------------------------|----------|-------------------------------|-------|
| NO.                      | DATE     | DESCRIPTION                   | APPVD |
| AMENDMENTS AND REVISIONS |          |                               |       |

|                            |           |          |
|----------------------------|-----------|----------|
| DRAWN                      | SIGNED    | DATE     |
| -                          | -         | -        |
| DESIGNED                   | SIGNED    | DATE     |
| -                          | -         | -        |
| CHECKED                    | SIGNED    | DATE     |
| -                          | GH        | 01.01.98 |
| MANAGER TECHNICAL SERVICES |           |          |
| -                          | -         | -        |
| G. HAWES                   | RPEQ 5693 | DATE     |

DIRECTOR  
ENGINEERING AND  
COMMERCIAL INFRASTRUCTURE

ORIGINAL SIGNED BY JOHN MARTIN  
JASON DEVITT

DATE -



|               |             |        |
|---------------|-------------|--------|
| WORKS JOB No. | DRAWING No. | AMEND. |
| -             | A4-00043    | C      |

**STANDARD  
PROPERTY DRAINAGE  
CONNECTIONS TO MRC PIPES**