



**4 STRAND BARBED FENCE - TYPE 1**  
NTS

**DETAIL A**  
NTS

**DETAIL B**  
NTS




**4 STRAND BARBED FENCE - TYPE 2**  
**(STANDARD BAY - ELEVATION)**  
NTS



**6 STRAND BARBED FENCE - TYPE 3**  
**(STANDARD BAY ELEVATION)**  
NTS

**NOTES:**

1. TIMBER POSTS AND STRUTS SHALL BE OF APPROVED HARDWOOD.
2. ALL BURIED TIMBER TO BE CREOSOTED TO AS1143.
3. STEEL POSTS ARE STANDARD 1.8M STAR PICKETS. BLACK TAR, BRONZE STAR OR GALVANIZED TO AS 1650, REFER PROJECT DOCUMENTATION.
4. AT ALIGNMENT CHANGES OF LESS THAN 90 DEGREES, THE BOX STAY BISECTS THE ANGLE OF CHANGE.
5. GALVANIZED FENCING WIRE TO AS 2423.
6. ALL DIMENSIONS IN MILLIMETRES, UNLESS NOTED OTHERWISE.
7. IN ENVIRONMENTAL OR CONSERVATION AREAS, BARBED WIRE TO BE SUBSTITUTED WITH PLAIN WIRE.

				SURVEY	DRAWN	SIGNED	DATE	<div>DIRECTOR ENGINEERING AND COMMERCIAL INFRASTRUCTURE</div> <div></div> <div>ORIGINAL SIGNED BY S. M. HOLLEY JASON DEVITT</div> <div>DATE 28/7/07</div>	<div>STANDARD FENCING</div> <div>4 &amp; 6 STRAND BARBED WIRE FENCE</div>		SHEET 1 OF 1	
C	05.2020	NOTE ADDED	JC	SURVEY FILE No	DESIGNED	SIGNED	DATE				WORKS JOB No.	
B	01/05/15	REVISED FORMAT AND TITLE BLOCK	GH		CHECKED	SIGNED	DATE 01/3/07					
A		ORIGINAL ISSUE		LEVEL DATUM								
	DATE	DESCRIPTION	APPVD									
				MERIDIAN	MANAGER TECHNICAL SERVICES							
					ORIGINAL SIGNED BY G. HAWES RPEQ 5693			26/7/07	DATE			
											A3-03893	C

STANDARD DRAWINGS/A3-03893