



NOTES:

1. THIS DRAWING IS INTENDED TO PROVIDE THE PERFORMANCE SPECIFICATION ONLY FOR THE TYPE OF ACCESS CHAMBER SHOWN. THE STRUCTURE AS SHOWN IS SCHEMATIC AS SIZES AND SHAPES MAY VARY
2. ACCESS CHAMBERS WHICH ARE PROPRIETARY ITEMS ARE REQUIRED TO BE DESIGNED AND CERTIFIED TO AS 3996-1992
3. COVER AND FRAME, GREY CAST IRON, GRADE \geq T220 TO AS 1830
4. COVER DESIGN TO BE CLASS D TO AS 3996 - 1992, WHERE MINIMUM ULTIMATE LIMIT STATE DESIGN LOAD = 210KN
5. ALL WELDS TO AS 1554
6. BITUMEN PAINT COVER AND FRAME TO AS/NZS 3750.4
7. ALL DIMENSIONS IN MILLIMETRES UNO

LEGEND

✓ DENOTES MACHINED SURFACE

				SURVEY	DRAWN	SIGNED	DATE	DIRECTOR ENGINEERING AND COMMERCIAL INFRASTRUCTURE		STANDARD ACCESS CHAMBER CAST IRON COVER AND FRAME BOLT DOWN		SHEET 1 OF 1	
C	03/18	MINOR MODIFICATIONS		SURVEY FILE No	DESIGNED	SIGNED	DATE			WORKS JOB No.			
B	27/1/15	REVISED FORMAT AND TITLEBLOCK		LEVEL DATUM	CHECKED	SIGNED	DATE 1/3/07	ORIGINAL SIGNED BY S. M. HOLLEY JASON DEVITT		DRAWING No.	AMEND.		
A		ORIGINAL ISSUE		MERIDIAN	MANAGER TECHNICAL SERVICES		1/3/07	DATE 28/7/07		A3-03878	C		
	DATE	DESCRIPTION	APPVD		ORIGINAL SIGNED BY G. HAWES G. HAWES RPEQ 5693		DATE						
AMENDMENTS AND REVISIONS													
STANDARD DRAWINGS\STORMWATER\A3-03878													