



NOTES

1. THRESHOLD ONLY TO BE INSTALLED AT INTERSECTIONS OF MAJOR COLLECTOR AND BELOW STATUS, WITH ROADS OF SUB-ARTERIAL AND ABOVE STATUS IN ROAD HIERARCHY.
2. LIGHTING TO BE PROVIDED AS PER ENGINEERING DESIGN GUIDELINES TO MINIMUM P4 STANDARDS IN ACCORDANCE WITH AS1158.
3. SURFACE TREATMENT STENCILLED CONCRETE FINISH WITH 2 COATS OF COLOURED OCHRE MEETING THE REQUIREMENTS OF R52 TERRACOTTA, IN ACCORDANCE WITH AS 2700. TWO COATS OF APPROVED POLYMER SEALER TO BE APPLIED FOLLOWING INITIAL CURING OF OCHRE SURFACE.
4. FULL DEPTH COLOURED CONCRETE. CONCRETE THICKNESS AND REINFORCING TO BE DETERMINED VIA PAVEMENT DESIGN. COLOUR R52 TERRACOTTA AS PER AS2700.

FILE NAME \STANDARD DRAWINGS\A4-00184

| | | | |
|-----|----------|----------------------------|---------------------------------|
| C | 07.03.24 | MINIMUM MEDIAN WIDTH ADDED | Drawn by <i>Graham Hawes</i> |
| NO. | DATE | DESCRIPTION | APPROVED <i>Graham Hawes</i> |

AMENDMENTS AND REVISIONS

| | | | |
|-----------------------------|--------------|-----------------|--|
| DRAWN | SIGNED | DATE | DIRECTOR ENGINEERING AND COMMERCIAL INFRASTRUCTURE |
| DESIGNED | SIGNED | DATE | |
| CHECKED GH | SIGNED GH | DATE 27/6/07 | ORIGINAL SIGNED BY S. M. HOLLEY JASON DEVITT |
| MANAGER TECHNICAL SERVICES | | | DATE _____ |
| ORIGINAL SIGNED BY 18/10/12 | | | |
| G. HAWES RPEQ 5693 | | | DATE _____ |



| | | |
|--|--------------------------------|--------------------|
| WORKS JOB No. | DRAWING No. A4-00184 | AMEND. C |
| STANDARD STREET THRESHOLD FOR NEW CONSTRUCTION PROJECTS | | |