



MAXIMUM 1.5m COVER FOR ALL WATER MAINS / SERVICE CROSSINGS

MINIMUM 1.0m COVER FOR ALL ROAD SERVICE CROSSINGS

ACCESS STREET / ACCESS PLACE / MINOR COLLECTOR / INDUSTRIAL ACCESS & COLLECTOR
A3 SCALE 1:20

FILE NAME	I:STANDARD DRAWINGS\SERVICE CORRIDORS\A3-882.DWG		
AMENDMENTS AND REVISIONS	NO.	DATE	DESCRIPTION
	A	-	ORIGINAL ISSUE
			APPROVED
MERIDIAN			
MANAGER TECHNICAL SERVICES	G. HAWES RPEO 5693		
SIGNED	DATE	SIGNED	DATE
DRAWN		DESIGNED	
CHECKED		DESIGNED	
SURVEY		DATE	
SURVEY FILE No		DATE	
LEVEL DATUM		DATE	
DRAWN		DATE	
DESIGNED		DATE	
CHECKED		DATE	
SIGNED		DATE	
DATE		DATE	
DIRECTOR ENGINEERING SERVICES		STUART HOLLEY RPEO 56940	
DATE		DATE	
20.7.12		20.7.12	
Mackay REGIONAL COUNCIL		STANDARD	
SERVICE CORRIDORS TYPE CROSS SECTION		WORKS JOB No.	
4.0M, 4.5M & 5.0M VERGE, URBAN		DRAWING No.	
SHEET 3 OF 3		A3-884	
		AMEND.	
		A	
		SHEET 3 OF 3	